

# Receiving Report

Date: 11/11/23

Batch No: M119729

Supplier: ULBREN

Dart P/O: 15504

Packing Slip: Yes ☒ No ☐  
 Invoice: Yes ☐ No ☒  
 Receipt: Cash ☐ Cr ☐

Release Note Attached: Yes ☒ No ☐ N/A ☐  
 Waybill Attached: Yes ☒ No ☐  
 Shipment Complete: Yes ☒ No ☐ N/A ☐  
 QC6 Inspection OK 11/11/28 N/A ☒  
 Work Order                      N/A ☒

## Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments

Initials of receiver (if shipment OK)                      Level 12                     

Production/Admin: 11/11/23  
 Date                       
 Received/Costing                       
 Initial                     

Location



RECEIVED NOV 22 2011

Diversified Ulbrich  
20 Hymus Blvd  
PTE. Claire, QC H9R 1C9,

Phone: (514)694-6522 Fax : (514)694-0266  
Toll Free: (800)361-5950

## INVOICE

Pg 1 of 1 I031709

SOLD TO 00022279

DART AEROSPACE LTD  
1270, ABERDEEN STREET  
HAWKESBURY, ON K6A 1K7

Contact: CHANTAL LAVOIE

SHIP TO:  
DART AEROSPACE LTD  
1270, ABERDEEN STREET  
HAWKESBURY, ON K6A 1K7

MTR: Y

INVOICE DATE:	11/22/11
ORDER DATE:	11/22/11
SHIP DATE:	11/22/11
ORDER NUMBER:	W220434
PURCHASE ORDER:	PO15504

Currency		Sales Person		Ship Via		F.O.B.		Terms	
CANADIAN DOLLARS		BOB MESSETT		COMMON CARRIER		COLLECT		NET 30 DAYS	
Ln	Back Ordered	Ordered	Unit	Description		Shipped		Price Per	Value
		10	PC	SSH T-304 EXP 16F x 3/4" x 48" L017693 10 PC/180 LB  DIAMONDS MUST RUN ALONG THE 8' LENGTH  SURCHARGE INCLUDED IN PRICE  ***SHIP TST GROUND***  1 PALETTE, CERT. D'ANALYSE		10 PC		161.40	1,614.00
<div>ENTERED NOV 30 2011 PA D DEC 21 2011 989</div>									

Phone: (613) 632-5200  
Fax: (613) 632-4443

11/22/11 15:18:58

Total Weight: 180 LB

Merchandise:	1,614.00
Surcharges:	
No Tax Costs:	
HST	209.82
Total Due:	1,823.82

Title to the goods sent out on this invoice remains with Diversified Ulbrich until such time as this invoice has been paid in full. Unless otherwise noted terms are 30 days. Interest accrues on all overdue accounts at the rate of 1.5% per month compounded monthly.

G.S.T. # 88911 2199 RT  
Q.S.T. # 1019976536 TQ 001

All amounts are calculated in domestic currency.

Wednesday, November 23, 2011 2:17:09 PM

All Vendors	PO ID PO15504	Receipt Dates from 11/23/2011 to 11/23/2011	All Line Item Types

	All Item ID/GL/WOs	All Rec. Employees	All Currencies
--	--------------------	--------------------	----------------

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp	Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor ID/Vendor Name			VC-DIV001	Diversified Ulbrich								
PO15504	1		M304EX0.75-16F	sf		11/24/2011	11/23/2011	320.0000	\$5.04	0.0000	0	\$1,612.80
CAD	N/A		Expanded Metal Flat	sf		320.0000	DES102		\$1,612.80	0.0000	0	

VendorID\Vendor Name	VC-DIV001	Diversified Ulbrich			
PO15504 1	M304EX0.75-16F sf	11/24/2011	11/23/2011	320.0000	0.0000
					\$5.04
					0.0000
					\$1,612.80

<b>Total Received Quantity:</b>	320.0000
<b>Total Qty to Inspect (PO U/M):</b>	0.0000
<b>Total Reject Quantity:</b>	0.0000
<b>Total Receipt Value:</b>	\$1,612.80
<b>Total Balance Due Quantity:</b>	0.0000



**Diversified Ulbrich**  
20 Hymus Blvd  
PTE. Claire, QC H9R 1C9,  
Phone: (514)694-6522 Fax : (514)694-0266  
Toll Free: (800)361-5950

# PACKING LIST

Page: 1

I031709

SOLD TO:  
00022279

DART AEROSPACE LTD  
1270, ABERDEEN STREET  
HAWKESBURY, ON K6A 1K7

SHIP TO:

DART AEROSPACE LTD  
1270, ABERDEEN STREET  
HAWKESBURY, ON K6A 1K7

## SPECIAL INSTRUCTIONS

\*\*\*SHIP TST GROUND\*\*\*  
\*\*\*COLLECT\*\*\*

Contact: CHANTAL LAVOIE

Ship Terms: COLLECT

MTR:Y

Currency	Sales Person	Customer Phone	Customer Fax	Customer PO
CANADIAN DOLLARS	BOB MESSETT	(613) 632-5200	(613) 632-4443	PO15504

Sales Order	Terms	Ship Via	Date Ordered	Date Required	Date Shipped
W220434	NET 30 DAYS	COMMON CARRIER	11/22/11	11/23/11	11/23/11

Ordered	Back Ordered	Unit	Description	Bundle #	Heat #	Shipped
10		PC	SSH T-304 EXP 16F x 3/4" x 48" 180 LB / 10 PC DIAMONDS MUST RUN ALONG THE 8' LENGTH SURCHARGE INCLUDED IN PRICE ***SHIP TST GROUND*** 1 PALETTE, CERT. D'ANALYSE	L017693	N/A	10
Approx Weight: 180.0 LB 11/22/11 11:35:44						

Received by: \_\_\_\_\_ Date: \_\_\_\_\_ Signature: \_\_\_\_\_



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO15504**

Purchase Order Date 11/21/2011

PO Print Date 11/21/2011

Page Number 1 of 1

**Order From :**

VC-DIV001

DIVERSIFIED ULBRICH  
20 HYMUS BLV  
POINTE-CLAIRE, QC H9R 1C9  
CA

**Contact Name**

**Vendor Phone**

514 694 6522

**Vendor Fax**

514 694 0266

**Vendor Account Nbr**

**Buyer**

Brigitte Golden

**Requisition Nbr**

**Tax Resale Nbr**

10127-2607

**Terms**

Net 30

**Currency**

CAD

**FOB**

Destination-Collect

**Ship To :**

DART AEROSPACE LTD

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

FAKED  
11/21/2011

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M304EX0.75-16F	Expanded Metal Flat SS	11/24/2011 Yes	320.00 sf	TST ground	\$5.0400	\$1,612.80

**Special Inst:** Mat: AISI 304/316 STAINLESS STEEL  
EXPANDED METAL  
DIAMONDS MUST RUN ALONG 8'  
LENGTH

**PO Total:**

**\$1,612.80**

MATERIAL CERTIFICATION  
REQ'D UPON DELIVERY


Change Nbr: 1

Change Date: 11/21/2011

No substitution or deviation without  
consent.  
Certificate of Conformity or Material  
Certification required when applicable

# SPECIFICATION CONTROL DRAWING

REFERENCE ONLY



STYLE	SIZE OF DIAMOND <sup>1</sup>				SIZE OF STRAND				WEIGHT lb/ft <sup>2</sup>	
	"A"		"B"		WIDTH "W"		THICK		STD	FLAT
	STD	FLAT	STD	FLAT	STD	FLAT	STD	FLAT		
1/2-18	0.48	0.48	1.20	1.24	0.085	0.100	0.050	0.040	0.73	0.70
1/2-16	0.48	0.48	1.20	1.24	0.085	0.100	0.062	0.050	0.91	0.90
3/4-18	0.90	0.90	2.00	2.10	0.100	0.118	0.050	0.040	0.47	0.46
3/4-16	0.90	0.90	2.00	2.10	0.100	0.118	0.062	0.050	0.60	0.57
3/4-13	0.90	0.90	2.00	2.10	0.100	0.118	0.094	0.070	0.91	0.88
3/4-9	0.90	0.90	2.00	2.10	0.150	0.165	0.140	0.120	2.05	1.96

<sup>1</sup> A TOLERANCE OF +/-10% OR +/- 0.07 (MIN) IS PERMITTED

PURCHASE MATERIAL: AISI 304/316 STAINLESS STEEL EXPANDED METAL MESH  
(REF. STAINLESS STEEL PER ASTM A240)

SPECIFICATION: ASTM F1287 OR MIL-M-17194D

PART NUMBER: M304EX1Y.YY|TT|F  
|SIZE|GA|

Y.YY = SIZE

TT = GAUGE THICKNESS OF METAL

F = FLATTENED (OPTIONAL)

EG. 3/4"-16F EXPANDED METAL MESH (FLATTENED) = M304EX0.75-16F.

RELEASED  
R 2010-05-28

B	REFORMAT DWG. ADD MIL/ASTM SPECS (ZN A8-1), ADD TABLE & DETAIL (ZN C6-1), REF NCR 09-090	CP	10.01.11
A	NEW ISSUE	DS	01.07.16
REV.	DESCRIPTION	BY	DATE
DESIGN			
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	10.01.11		

DART AEROSPACE LTD

HAWKESBURY, ONTARIO, CANADA

DRAWING NO.

M304EX

TITLE

304/316 SS EXPANDED METAL MESH

SCALE

NTS

COPYRIGHT © 2001 BY DART AEROSPACE LTD

THIS DOCUMENT IS THE PROPERTY OF DART AEROSPACE LTD

IT IS TO BE USED FOR THE PURPOSES FOR WHICH IT WAS

ISSUED AND NOT TO BE REPRODUCED OR TRANSMITTED IN ANY

FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING

PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE

RETRIEVAL SYSTEM, WITHOUT PERMISSION IN WRITING FROM DART

AEROSPACE LTD.

# SPECIFICATION CONTROL DRAWING

PURCHASE MATERIAL: AISI 304/316 SS SHEET  
ANNEALED  
2B FINISH

SPECIFICATION:

MIL-S-5059  
OR AMS 5513 (304)  
OR AMS 5524 (316)  
OR ASTM A240  
OR ASME SA240

PART NUMBER:

M304S1TTGA  
GA

WHERE "TT" = GAUGE THICKNESS

EG. 16 GAUGE SS SHEET = M304S16GA

GAUGE THICKNESS REFERENCE:

GAUGE	NOM. THICK. (IN)	THICKNESS RANGE (IN)
26	0.01875	0.0178 - 0.019
25	0.021875	0.0199 - 0.023
24	0.025	0.024 - 0.026
23	0.028125	0.027 - 0.029
22	0.03125	0.030 - 0.032
21	0.034375	0.033 - 0.035
20	0.0375	0.036 - 0.040
19	0.04375	0.041 - 0.046
18	0.050	0.047 - 0.052
17	0.05625	0.053 - 0.058
16	0.0625	0.059 - 0.065
15	0.0703125	0.066 - 0.072
14	0.078125	0.073 - 0.083
13	0.09375	0.084 - 0.098
12	0.109375	0.099 - 0.114
11	0.125	0.115 - 0.130
10	0.140625	0.131 - 0.145
9	0.15625	0.146 - 0.160
8	0.171875	0.161 - 0.176

RELEASED  
R 09/06/01

B	REFORMAT DWG, ADD ASTM/ASME SPECS (ZN D8-1), ADD GAUGE REF (C8-1), REF PAR 08-020A	CP	09.06.01
A	NEW ISSUE	DS	01.09.24
REV.	DESCRIPTION	BY	DATE
DESIGN			
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	09.06.01		
DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA			
DRAWING NO. M304S			
REV. B			
SHEET 1 OF 1			
TITLE			
304/316 SS SHEET			
SCALE			
NTS			
COPYRIGHT © 2001 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR FOR ANY REASON WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE LTD.			



1870 HIGHWAY 42 EAST

Certificate: 619216 1

Customer: 007040 005  
 6 WHITNEY DRIVE  
 HARMONY, PA 16037

Your Order: P000996

Ship To:  
 ULRICH OF CANADA  
 C/O MAIN STEEL POLISHING  
 6 WHITNEY DRIVE  
 HARMONY, PA 16037

Date: 2/09/2011 Page: 1

Steel: 304/304L

Finish: 2B

NAS Order: PN 0012225 13

Corrosion: ASTM A262/02A, 1909a3-0K

### PRODUCT DESCRIPTION:

SEVEN STL COIL, C.R. ANNEALED & PICKLED; UNS 30408/30403  
 EN10028-7 & EN10088-2, 1.4301/1.4307  
 ASTM A240/10, A480/10, A566/10, ASME SA240/10, SA666/10  
 AWS511B/551B XRX; MIL-S-5052D AMS3(X CRN MEAS); MIL-S-6043H  
 NACE MR0175/01, MR0303/07; Q08760-A X NAS EPRM  
 MIN. SOLUTION ANNEAL TEMP 1900F, WATER QUENCHED

### REMARKS:

Mat'l is Free of Mercury Contamination. No weld repairs.  
 EN 10204:2004 3.1; Q08760F Cond 2; ROHS Compliant  
 Material is Free of Radioactive Contamination  
 HAS Steel Making Process: EAF, AOD, & Cont. Casting  
 Product Mfg. by a Quality Mgt. Sys. in Cont. w/ISO 9001  
 \*Melted & Manufactured in the USA; Mat'l is DEARS Compliant

Product Id	Coil #	Slid #	Thickness	Width	Weight	Length	Mark	Pieces	Commodity Code
010RPS A	010RPS A		.0575	48.0000	16,120	COIL		1	1

### CHEMICAL ANALYSIS

CA(Country of Mnt) ES(Spain) US(United States) ZA(South Africa) JP(Japan)

CR	C	CR	CV	KN	MO	N	RT	F	S
US	.0197	19.3470	.4575	1.7320	.3545	.0708	8.0450	-.0335	.0016
SI									

### MECHANICAL PROPERTIES

Product Id#	Coil #	1 d	2 d	UTS	2% YS	1% YS	ELONG	Hard	Yell
010RPS A	010RPS A	F T	91.36	48.54	53.54	45.52	36.00	87.00	

NAS hereby certifies that the analysis on this certification is correct and the material meets the specifications stated.

QC ENGINEER

ERIC HESS

2/09/2011